



## E-Revo VXL Brushless (Model 86086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5101	Ball bearings, blue rubber sealed (12x21x5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
5180	Ball bearings, blue rubber sealed (6x13x5mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)

### Body & Accessories

<b>1926</b>	<b>Antenna caps, vinyl (2)/ antenna spool</b>
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools
<b>5526R</b>	<b>Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools</b>
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
8615	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
8614	Body posts, clipless, front & rear (1 each)
8613	Body support/ 3x12mm CS (4)
<b>8611</b>	<b>Body, E-Revo (clear, requires painting)/window, grill, lights decal sheet</b>
8611G	Body, E-Revo, green/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
8611A	Body, E-Revo, orange/ window, grill, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
<b>2514</b>	<b>Decal sheet, racing sponsors</b>
<b>9950</b>	<b>Official Team Traxxas racing decal set (flag logo/ 6-color)</b>
8617	Skid plate, roof (body)/ 3x12mm CS (4)
<b>5185</b>	<b>Tires, rubber (2) (fits Traxxas wheelie bar wheels)</b>
<b>4974</b>	<b>Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)</b>
<b>5473</b>	<b>Wheelie bar mount (1)(fits 1/10 scale Revo trucks)</b>
<b>5472</b>	<b>Wheelie bar, assembled (fits all 1/10th scale Revo trucks)</b>
<b>4976</b>	<b>Wheels (4)/ Axles (2), for wheelie bar</b>
5413	Wing mount, center / wing washers (for Revo)
8616	Wing mounts, low profile
5446	Wing, Revo (black)/ decal sheet
<b>5446G</b>	<b>Wing, Revo (Exo-Carbon finish)/ decal sheet</b>
<b>5412</b>	<b>Wing, Revo (white)/ decal sheet</b>

### Bumpers & Skidplates

5335X	Bumpers, front and rear (black chrome)
5315	Guards, steering servo (2)
8637	Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
5637X	Skidplate, transmission, nylon (black)/ cover

### Chassis & Attachments

8615	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (8)/ 3x12mm BCS (1)
5624	Box, receiver (sealed)/ foam pad/ silicone grease/ 3x8mm BCS (2)/ 2.5x8mm CS (2)/ 3x6mm BCS (2)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
<b>5323R</b>	<b>Bulkhead tie bars, front &amp; rear (red-anodized aluminum)</b>
8630	Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
8629	Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
8620	Chassis supports, front & rear/ 3x12mm BCS (4)/ 3x15mm CS (4)/ 4x14mm BCS (1)
8622	Chassis, E-Revo (requires #8629 & 8630 bulkheads)
5627	Door, battery compartment (2) (fits right or left side)
5315	Guards, steering servo (2)
5629	Retainer clip, battery (1)/ front clip (1) /rear clip (1)/ foam spacer (1) (for one battery compartment)
5625	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
5317	Shock mounts (front & rear)/ wire clip (1)/ chassis wire clips (4)/ 3x32mm CS (4)/ 3x6mm BCS (1)
8637	Skid plate set, front/ skid plate, rear/ 3x10 BCS (6)/ 3x30 BCS (1) (fits #8629 & 8630 bulkheads)
5637X	Skidplate, transmission, nylon (black)/ cover
<b>5185</b>	<b>Tires, rubber (2) (fits Traxxas wheelie bar wheels)</b>
5628	Vent, battery compartment (includes latch) (1 pair, fits left or right side)
<b>4974</b>	<b>Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)</b>
<b>5473</b>	<b>Wheelie bar mount (1)(fits 1/10 scale Revo trucks)</b>
<b>5472</b>	<b>Wheelie bar, assembled (fits all 1/10th scale Revo trucks)</b>
<b>4976</b>	<b>Wheels (4)/ axles (2), for Maxx wheelie bar</b>

### Cush Drive Components

6465	Cush drive key/ pin/ elastomer damper
6487X	Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
<b>6494X</b>	<b>Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)</b>
7793X	Housing, cush drive (front & rear halves)
<b>6447</b>	<b>Spur gear, 46-tooth (1.0 metric pitch)</b>
<b>6448</b>	<b>Spur gear, 50-tooth (1.0 metric pitch)</b>
6449	Spur gear, 54-tooth (1.0 metric pitch)

### Differential Components

5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
8681X	Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
8681	Carrier, differential (heavy duty)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 PTW
8680	Differential gasket/ x-rings (2)/ 12.2x18x0.5 MW (1)/ 12.2x18x0.5 PTW (1)
<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
8682	Gear set, differential (spider gears (4), spider gear shaft (2))
<b>5130</b>	<b>Oil, differential (100K weight) (.7 oz (20cc))</b>
<b>5135</b>	<b>Oil, differential (10K weight)</b>
5040	Oil, differential (20M weight) (standard)
<b>5136</b>	<b>Oil, differential (30K weight)</b>
5137	Oil, differential (50K weight)
8684	Output gear, center differential, hardened steel (2)
8683	Output gears, differential, hardened steel (2)
8679	Ring gear, differential/ pinion gear, differential

### Driveline Components

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
8652	Drive cup, machined steel (2)/ 4x17mm screw pins (2)
8650	Driveshaft, steel constant-velocity (heavy duty, shaft only, 122.5mm)
<b>5650R</b>	<b>Driveshafts, center E-Revo (steel constant-velocity) front (1)/ rear (1) (assembled with inner and outer dust boots, for E-Revo &amp; Summit)</b>
5150	E-clips, 1.5mm (24)
8655	Half shafts, center (internal splined (2)/ external splined (2)) (plastic parts only)
8651	Rebuild kit, driveshaft (cross pin (2)/ 16mm pin (2)) (metal parts for 2 driveshafts)
5145	Screw pin, 4x15mm (6)
8653	Stub axle
5452	U-joints, driveshaft (carrier (4)/ 4.5mm cross pin (4)/ 3mm cross pin (4)/ e-clips (20)) (metal parts for 2 driveshafts)
8654	Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
<b>5353X</b>	<b>Wheel hubs, splined, 17mm (blue-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)</b>
<b>8654G</b>	<b>Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)</b>
<b>5353G</b>	<b>Wheel hubs, splined, 17mm (green-anodized) (4)/ wheel nuts, splined, 17mm (blue-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)</b>
<b>8654R</b>	<b>Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)</b>
<b>5353R</b>	<b>Wheel hubs, splined, 17mm (red-anodized) (4)/ wheel nuts, splined, 17mm (red-anodized) (4)/ screw pins, 4x13mm (with threadlock) (4)</b>
<b>5353A</b>	<b>Wheel nuts, splined, 17mm (green-anodized) (4)</b>
8658	Yokes, transmission (2)/ 4x15mm screw pins (2)

### Front Suspension

8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
<b>5323R</b>	<b>Bulkhead tie bars, front &amp; rear (red-anodized aluminum)</b>
8630	Bulkhead, front (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
5134	Caster spacers (4)/ shims (4)
5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
4933	Pivot balls (4)/ pivot ball cap bushings (4)
<b>4933X</b>	<b>Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)</b>
8618	Push rod (steel) (assembled with rod ends) (2)

5354X	<b>Rocker arm post (aluminum) (4)</b>	5625	<b>Communication link, telemetry expander</b>
5354	Rocker arm post (steel) (2)	2978	<b>Fuse, charger, 5A (2) (for #2974, 2975, 2977)</b>
5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)	2072	Gear set (for 2070, 2075 servos)
8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)	5556	<b>Mount, telemetry expander (fits XO-1, E-Revo*, Summit*, all Maxx trucks, Revo 3.3, Slayer Pro 4X4) (*requires rear chassis brace #5632)</b>
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)	5535	<b>Mount, temperature sensor (electric motors)/ wire tie/ thermal pad</b>
8632	Suspension arms, front (left), heavy duty (upper (1)/ lower (1))	5533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
8631	Suspension arms, front (right), heavy duty (upper (1)/ lower (1))	5552	<b>Seal kit, expander box (includes o-ring, seals, and silicone grease)</b>
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))	5526	<b>Sensor, auto-detectable, temperature</b>
8638	Toe link, 5.0mm steel (front or rear) (2)	5527	<b>Sensor, auto-detectable, voltage</b>
<b>Hardware</b>		5522	<b>Sensor, RPM (short)/ 3x4mm BCS (2)</b>
5150	E-clips, 1.5mm (24)	5521	<b>Sensor, temperature and voltage (long)</b>
5477	Flat wrench, 5mm (blue-anodized aluminum)	2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
5478	<b>Flat wrench, 8mm (blue-anodized aluminum)</b>	2075	Servo, digital high-torque (ball bearing), waterproof
3980	<b>Glow plug wrench (universal wrench)</b>	2075X	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)	5550	<b>Telemetry expander, TQi radio system</b>
5476X	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball	5551	<b>Telemetry GPS module, TQi radio system</b>
5475	Multi-tool (plastic)	5540	<b>Telemetry trigger magnet, 5X2mm (1)</b>
5144	Screw pin, 2.5x18mm (6)	5509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link enabled, TSM (2-ch transmitter, 5-ch micro receiver)
5145	Screw pin, 4x15mm (6)	5507R	<b>TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)</b>
3236	Screws, 2.5x12mm cap-head machine (6)	5528	Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 2-channel (transmitter only)
3965	Screws, 2.5x8mm cap-head machine (6)	5529	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 3-channel (transmitter only)</b>
2577	Screws, 3x10mm button-head machine (hex drive) (6)	5530	<b>Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)</b>
2587	Screws, 3x10mm cap-head machine (6) (no washer)	5511	<b>Traxxas Link Wireless Module</b>
2551	Screws, 3x10mm countersunk machine (6) (hex drive)	<b>Ready-To-Race Model</b>	
5282	Screws, 3x12mm button-head machine (6) (starter attachment screws with Threadlock)	86086-4	E-Revo VXL Brushless: 1/10 Scale 4WD Brushless Electric Monster Truck with TQi 2.4GHz Traxxas Link Enabled Radio System and Traxxas Stability Management (TSM)
2578	Screws, 3x12mm button-head machine (hex drive) (6)	<b>Rear Suspension</b>	
2552	Screws, 3x12mm countersunk machine (6) (hex drive)	8635	Axle carriers, left & right (1 each) (use with 8x16mm & 17x26mm ball bearings)/ dust boot retainers (4)
2579	Screws, 3x15mm button-head machine (hex drive) (6)	5323	Bulkhead tie bars, front & rear (blue-anodized aluminum)
2553	Screws, 3x15mm countersunk machine (6) (hex drive)	5323R	<b>Bulkhead tie bars, front &amp; rear (red-anodized aluminum)</b>
2581	Screws, 3x25mm button-head machine (hex drive) (6)	8629	Bulkhead, rear (upper and lower)/ 4x12mm BCS (6) (requires #8622 chassis)
2582	Screws, 3x30mm button-head machine (hex drive) (6)	5378X	Pivot ball caps (4)/ dust boots, rubber (4)/ dust plugs, rubber (4)/ dust boot retainers, black (4), blue (4) (2 pkgs. req. to complete truck)
3971	Screws, 3x35mm cap-head machine (hex drive) (6)	4933	Pivot balls (4)/ pivot ball cap bushings (4)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	4933X	<b>Pivot balls, hard-anodized 7075-T6 aluminum (4)/ pivot ball cap bushings (4)</b>
2576	Screws, 3x8mm button-head machine (hex drive) (6)	8618	Push rod (steel) (assembled with rod ends) (2)
3936	Screws, 4x10mm button-head machine (hex drive) (6)	5354X	<b>Rocker arm post (aluminum) (4)</b>
3937	Screws, 4x12mm button-head machine (hex drive) (6)	5354	Rocker arm post (steel) (2)
3938	Screws, 4x14mm button-head machine (hex drive) (6)	5358	Rocker arm set, progressive-2 (90-T)/ spacers (red aluminum) (8)
3929	Screws, 4x18mm button-head machine (hex drive) (6)	8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)	8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
4897	Screws, set (grub) 4mm (6) (with threadlock)	8634	Suspension arms, rear (left), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
<b>Motors &amp; Electronics</b>		8633	Suspension arms, rear (right), heavy duty, adjustable wheelbase (upper (1)/ lower (1))
2072	Gear set (for 2070, 2075 servos)	5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2))
8661	Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)	8638	Toe link, 5.0mm steel (front or rear) (2)
5660	Motor mount, finned aluminum	<b>Shocks (GTR)</b>	
3481	Motor, 2200Kv 75mm, brushless (with 6.5mm gold-plated connectors & high-efficiency heatsink)	5466X	<b>Body, GTR shock (hard-anodized, PTFE-coated aluminum) (1)</b>
8690	Plate, motor	5465	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	5475	Multi-tool (plastic)
2075	Servo, digital high-torque (ball bearing), waterproof	5158	Nuts, 2.5mm nylon locking (12)
2075X	<b>Servo, digital high-torque, metal gear (ball bearing), waterproof</b>	5462	Rebuild kit, GTR shock (x-rings, bump stops, bladders, all pistons, piston nuts, shock rod ends) renews 2 shocks
3480	Velineon VXL-6s Brushless Power System, waterproof (includes VXL-6s ESC and 2200Kv, 75mm motor)	5469	Rod ends (GTR shocks) (6)
3485	Velineon VXL-6s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)	5463T	<b>Shaft, GTR shock, TiN-coated (2)</b>
<b>Radio System, Batteries &amp; Chargers</b>		5460	Shocks, GTR aluminum (assembled) (2) (without springs)
2872X	<b>5000mAh 11.1v 3-Cell 25C LiPo Battery</b>	5460A	<b>Shocks, GTR aluminum, blue-anodized (fully assembled w/o springs) (4)</b>
2843X	<b>5800mAh 7.4v 2-Cell 25C LiPo Battery</b>	5460R	<b>Shocks, GTR aluminum, red-anodized (fully assembled w/o springs) (4)</b>
2869X	<b>7600mAh 7.4v 2-Cell 25C LiPo Battery</b>	5460X	<b>Shocks, GTR hard-anodized, PTFE-coated aluminum bodies with TiN shafts (fully assembled w/o springs) (4)</b>
2976	<b>AC to DC converter, 40W</b>	5461	<b>Variable damping kit, GTR shocks (includes #1, #2, #3 pistons and stainless steel valves)</b>
2938X	<b>Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)</b>		
5526	Antenna crimp nut, aluminum (blue-anodized)/ antenna nut tools		
5526R	<b>Antenna crimp nut, aluminum (red-anodized)/ antenna nut tools</b>		
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		
6546	Battery door, TQi transmitter (replacement for #6528, 6529, 6530 transmitters)		
2914	<b>Battery, Power Cell AA Alkaline (4)</b>		
2991	<b>Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))</b>		
2972	<b>Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification</b>		
2971	<b>Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification</b>		
2970	<b>Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification</b>		
5632	<b>Chassis brace, rear (fits E-Revo / Summit)</b>		

**Springs**

5435	Spring, shock (red) (GTR) (2.6 rate yellow) (1 pair)
5436	Spring, shock (red) (GTR) (2.9 rate white) (1 pair)
5437	Spring, shock (red) (GTR) (3.2 rate orange) (1 pair)
5438	Spring, shock (red) (GTR) (3.5 rate green) (1 pair)
5439	Spring, shock (red) (GTR) (3.8 rate gold) (1 pair)
5440	Spring, shock (red) (GTR) (4.1 rate tan) (1 pair)
5441	Spring, shock (red) (GTR) (4.4 rate black) (1 pair)
5442	Spring, shock (red) (GTR) (4.9 rate silver) (std. front 120mm) (1 pair)
5444	Spring, shock (red) (GTR) (5.9 rate blue) (std. rear 120mm) (1 pair)
5445	Spring, shock (red) (GTR) (6.4 rate purple) (1 pair)
5443	Spring, shock red (GTR) (5.4 rate pink) (1 pair)

**Spur Gears & Pinion Gears**

6484X	Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6485X	Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6486X	Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6488X	Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6487X	Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6489X	Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6490X	Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6491X	Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6494X	Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (compatible with steel spur gears)
6447	Spur gear, 46-tooth (1.0 metric pitch)
6447X	Spur gear, 46-tooth, steel (1.0 metric pitch)
6448	Spur gear, 50-tooth (1.0 metric pitch)
6448X	Spur gear, 50-tooth, steel (1.0 metric pitch)
6449	Spur gear, 54-tooth (1.0 metric pitch)
6449X	Spur gear, 54-tooth, steel (1.0 metric pitch)

**Steering Components**

5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5343X	Mount, steering arm/ steering stops (2) (lower hinge pin retainer) (includes standard and maximum throw steering stops)
5469	Rod ends (GTR shocks) (6)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
5349	Rod ends, small, with hollow balls (6) (for Revo steering linkage)
5345X	Servo horns, steering and throttle (for non-Traxxas servos (Hitec, JR, KO, Airtronics))
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5344X	Servo saver spring, heavy duty (for use with metal-gear servos)
2075	Servo, digital high-torque (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
8638	Toe link, 5.0mm steel (front or rear) (2)

**Suspension Linkage**

5355X	Hollow ball set, aluminum (30)/ tall centered hollow ball (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
8618	Push rod (steel) (assembled with rod ends) (2)
5469	Rod ends (GTR shocks) (6)
8646	Rod ends, heavy duty (toe links) (8) (assembled with hollow balls)
5345R	Servo horns, steering, long (2), short (2)/ linkage, steering (3x20mm turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
5321	Suspension pin set (front or rear, hardened steel), 3x20mm (4), 3x40mm (2)
8638	Toe link, 5.0mm steel (front or rear) (2)
5338A	Toe links, Revo (Tubes 7075-T6 aluminum, black) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ wrench (1)
5338R	Toe links, Revo (Tubes red-anodized, 7075-T6 aluminum, stronger than titanium) (128mm, fits front or rear) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)

**Team Traxxas Items**

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas racing decal set (flag logo/ 6-color)
9909	Traxxas racing banner, red & black (3x7 feet)

**Tires & Wheels**

4955	Pins, axle (2.5x12mm) (4)
5666	Sidewall protector, beadlock style (blue) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5664	Sidewall protector, beadlock style (green) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5667	Sidewall protector, beadlock style (red) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
5665	Sidewall protector, beadlock style (yellow) (2)/ 2.5x8mm CS (24) (for use with Geode wheels)
8674	Tires & wheels, assembled, glued (black Carbide 3.8" wheels, paddle tires, foam inserts) (2) (TSM rated)
8672	Tires & wheels, assembled, glued (black wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
5374A	Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2)
5374X	Tires & wheels, assembled, glued (Gemini black chrome wheels, Talon tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (TSM rated)
5374	Tires & wheels, assembled, glued (Gemini chrome wheels, Talon tires, foam inserts) (2) (also fits Maxx series)
5674	Tires & wheels, assembled, glued (Geode chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5672	Tires & wheels, assembled, glued (Geode chrome wheels, paddle tires, foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part # 5353X) (TSM rated)
8672G	Tires & wheels, assembled, glued (green wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
4973R	Tires & wheels, assembled, glued (Hurricane chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Revo/Maxx series)
8672A	Tires & wheels, assembled, glued (orange wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
5174A	Tires & wheels, assembled, glued (Split-Spoke satin-finish wheels, Talon tires, foam inserts) (2) (fits Maxx w/sealed pivot ball suspension & Revo)
4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx tires (6.3" outer diameter), foam inserts) (2) (fits Maxx/Revo series) (TSM rated)
5174	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (fits Maxx/Revo series)
5174R	Tires & wheels, assembled, glued (SS (Split Spoke) chrome wheels, Talon tires, foam inserts) (2) (use w/17mm splined wheel hubs & nuts, part #5353X)
5375R	Tires & wheels, assembled, glued (white dished 3.8" wheels, Response Pro tires, foam inserts) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)
5670	Tires, Canyon AT 3.8" (2)/ foam inserts (2)
4973	Tires, Maxx 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo/Maxx series)
5171	Tires, Maxx Chevron 3.8" (2) (fits Revo/Maxx series)
8673	Tires, paddle
5375	Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5471	Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)
5470	Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)
8670	Tires, Talon EXT 3.8" (2)/ foam inserts (2)
8654	Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654G	Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
8654R	Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4), 3x14mm pin (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
8671	Wheels, 3.8" (black) (2) (17mm splined)
8671G	Wheels, 3.8" (green) (2) (17mm splined)
8671A	Wheels, 3.8" (orange) (2) (17mm splined)
5371	Wheels, dished 3.8" (white) (2) (use with 17mm splined wheel hubs and wheel nuts, part #5353X)

5372A	Wheels, Gemini 3.8" (black chrome) (2)
5372X	Wheels, Gemini 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X)
5372	Wheels, Gemini 3.8" (chrome) (2) (also fits Maxx series)
5671	Wheels, Geode 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X & beadlock-style sidewall protectors, part #5665, 5666, 5667)
5373	Wheels, Hurricane 3.8" (chrome) (2) (also fits Maxx series)
5172A	Wheels, SS (split spoke) 3.8" (black chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo/Maxx series)
5172X	Wheels, SS (split spoke) 3.8" (chrome) (2) (fits Revo/Maxx series)
5172R	Wheels, SS (split spoke) 3.8" (chrome) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo/Maxx series)
5172	Wheels, SS (split spoke) 3.8" (satin) (2) (fits Revo/Maxx series)

### Transmission Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
8681X	Carrier, differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ spacers (4)/ 12.2x18x0.5 MW
8677	Cover, gear/ 3x12mm CS (1)
6465	Cush drive key/ pin/ elastomer damper
8682	Gear set, differential (spider gears (4), spider gear shaft (2))
8691	Gearbox halves (front & rear)/ idler gear shaft
5041	Grease, premium high performance (20cc)
7793X	Housing, cush drive (front & rear halves)
8692	Input shaft/ idler gear
8661	Motor mount hinge post/ 5x25mm BCS (1)/ 4x16mm CS with split and flat washer (1)
5660	Motor mount, finned aluminum
8685	Output gear, 36-tooth, metal
8684	Output gear, center differential, hardened steel (2)
8690	Plate, motor
3965	Screws, 2.5x8mm cap-head machine (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
1647	Silicone grease

### Turnbuckles & Threaded Rods

5477	Flat wrench, 5mm (blue-anodized aluminum)
5341	Linkage, steering (Revo 3.3) (3x50mm Turnbuckle) (2)/ rod ends (short) (4)/ hollow balls (4)
8618	Push rod (steel) (assembled with rod ends) (2)
8647	Rod ends, heavy duty (push rod) (8) (assembled with hollow balls)
8638	Toe link, 5.0mm steel (front or rear) (2)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,  
or fax to 972-549-3011 e-mail [support@Traxxas.com](mailto:support@Traxxas.com)

**TRAXXAS.COM**